

TrackMan Golf

Multi Group Report

Robert Vadenbossche

Mar 30, 2023


Club: **Dr**

Ball: **Premium**

In this report

Dispersion	01
Trajectory	02
Averages	03
Shot Details	04-11

Dispersion




Note: Data are normalized to no wind conditions at 888 ft altitude, 77 F with a Premium ball.

Trajectory

Robert Vadenbossche | Mar 30, 2023

02



Note: Data are normalized to no wind conditions at 888 ft altitude, 77 F with a Premium ball.

Averages

Robert Vadenbossche | Mar 30, 2023

	CLUB SPEED	SMASH FAC.	BALL SPEED	LAUNCH ANG.	SPIN RATE	CARRY	TOTAL	HEIGHT	LAND. ANG.	LAUNCH DIR.	ATTACK ANG.	CLUB PATH	FACE ANG.	FACE TO PATH	DYN. LOFT	SPIN LOFT	SPIN AXIS	SIDE	SIDE TOT.	CURVE
	mph		mph	deg	rpm	yds	yds	ft	deg	deg	deg	deg	deg	deg	deg	deg	deg			ft
Ping G430 Max, rdx red 60 6.5, 9°	104.7	1.42	148.8	16.3	2868	245.3	265.5	113	41.4	-4.8	1.4	-7.0	-4.6	2.4	18.2	17.2	17.0	35° 3'R	43° 8'R	93R
Cobra, Aerojet, 9°, kaili blue 6x	103.2	1.34	138.0	21.6	4433	210.2	217.2	150	53.2	-5.5	0.8	-6.9	-5.2	1.8	24.8	24.3	12.7	17° 4'R	18° 11'R	82R
Mizuno STx, 9.5, uprt, rdx green 65 6.5	104.0	1.39	144.5	15.2	3552	227.6	244.6	101	41.0	-8.1	0.8	-7.3	-8.2	-0.8	17.9	17.1	23.2	33° 7'R	45° 6'R	127R
Titleist, TSR2, 9°, a-2, tensei av x link 65 x	103.4	1.43	148.1	16.1	3960	227.6	242.0	113	43.7	-3.1	1.0	-6.0	-2.5	3.5	18.6	18.6	21.1	78° 1'R	93° 4'R	140R
Callaway, Paradym, x, 9°, s,d, kaili blue 60 x	104.2	1.49	154.8	11.4	2340	250.7	281.0	78	31.5	-4.4	0.5	-4.7	-4.4	0.3	12.9	12.7	7.7	13° 3'L	13° 6'L	47R
Taylormade, Stealth 2 HD, 9°, uprt, diamana s+ 60 x	105.4	1.46	153.4	12.1	2349	248.6	277.2	81	32.6	-7.4	2.1	-7.0	-7.9	-0.9	13.6	12.9	4.0	68° 4'L	78° 5'L	35R
Ping G430 Max, 9°, +1, draw weight, rdx red 60 6.5	102.9	1.44	148.4	13.7	2435	242.3	269.1	85	34.3	-5.2	0.5	-7.2	-5.0	2.2	15.3	15.5	19.8	26° 10'R	40° 5'R	90R
current	103.0	1.43	147.3	14.8	3044	238.8	256.5	108	41.8	-7.0	1.4	-9.9	-6.5	3.4	16.9	16.0	13.8	4° 1'L	2°R	91R

Note: Data are normalized to no wind conditions at 888 ft altitude, 77 F with a Premium ball.

Shot Details

Robert Vadenbossche | Mar 30, 2023

Ping G430 Max, rdx red 60 6.5, 9*

STROKE NO	CLUB SPEED	SMASH FAC.	BALL SPEED	LAUNCH ANG.	SPIN RATE	CARRY	TOTAL	HEIGHT	LAND. ANG.	LAUNCH DIR.	ATTACK ANG.	CLUB PATH	FACE ANG.	FACE TO PATH	DYN. LOFT	SPIN LOFT	SPIN AXIS	SIDE	SIDE TOT.	CURVE
	mph		mph	deg	rpm	yds	yds	ft	deg	deg	deg	deg	deg	deg	deg	deg	deg			ft
1	105.2	1.38	145.3	17.3	3984	229.5	240.7	130	48.1	-7.3	0.2	-7.4	-7.3	0.1	20.0	19.9	19.1	37' 0"R	43' 1"R	132R
2	104.2	1.46	152.2	15.3	1752	261.2	290.3	95	34.6	-2.3	2.6	-6.6	-1.9	4.7	16.4	14.5	14.9	33' 7"R	44' 2"R	54R
Average	104.7	1.42	148.8	16.3	2868	245.3	265.5	113	41.4	-4.8	1.4	-7.0	-4.6	2.4	18.2	17.2	17.0	35' 3"R	43' 8"R	93R
Consistency	0.5	0.04	3.4	1.0	1116	15.8	24.8	18	6.8	2.5	1.2	0.4	2.7	2.3	1.8	2.7	2.1	1' 8"R	7"R	39R

Note: Data are normalized to no wind conditions at 888 ft altitude, 77 F with a Premium ball.

Shot Details

Robert Vadenbossche | Mar 30, 2023

Cobra, Aerojet, 9*, kaili blue 6x

STROKE NO	CLUB SPEED	SMASH FAC.	BALL SPEED	LAUNCH ANG.	SPIN RATE	CARRY	TOTAL	HEIGHT	LAND. ANG.	LAUNCH DIR.	ATTACK ANG.	CLUB PATH	FACE ANG.	FACE TO PATH	DYN. LOFT	SPIN LOFT	SPIN AXIS	SIDE	SIDE TOT.	CURVE
	mph		mph	deg	rpm	yds	yds	ft	deg	deg	deg	deg	deg	deg	deg	deg	deg			ft
1	103.7	1.32	137.0	22.8	4963	201.0	206.6	151	54.2	-2.3	0.8	-7.4	-1.3	6.1	26.3	26.2	21.4	107' 11"R	112' 10"R	139R
2	103.2	1.33	137.1	22.6	4641	205.0	210.3	158	55.4	-6.1	1.0	-6.2	-6.0	0.2	26.0	25.1	8.6	11' 4"L	11' 0"L	55R
3	102.9	1.36	139.9	19.5	3694	224.4	234.7	139	50.1	-8.0	0.6	-7.2	-8.1	-0.9	22.1	21.5	8.1	44' 6"L	45' 1"L	53R
Average	103.2	1.34	138.0	21.6	4433	210.2	217.2	150	53.2	-5.5	0.8	-6.9	-5.2	1.8	24.8	24.3	12.7	17' 4"R	18' 11"R	82R
Consistency	0.3	0.02	1.4	1.5	539	10.2	12.5	8	2.3	2.4	0.2	0.5	2.9	3.1	1.9	2.0	6.2	65' 6"R	67' 10"R	40R

Note: Data are normalized to no wind conditions at 888 ft altitude, 77 F with a Premium ball.

Shot Details

Robert Vadenbossche | Mar 30, 2023

Mizuno STx, 9.5, uprt, rdx green 65 6.5

STROKE NO	CLUB SPEED mph	SMASH FAC.	BALL SPEED mph	LAUNCH ANG. deg	SPIN RATE rpm	CARRY yds	TOTAL yds	HEIGHT ft	LAND. ANG. deg	LAUNCH DIR. deg	ATTACK ANG. deg	CLUB PATH deg	FACE ANG. deg	FACE TO PATH deg	DYN. LOFT deg	SPIN LOFT deg	SPIN AXIS deg	SIDE	SIDE TOT.	CURVE ft
1	103.5	1.38	142.7	16.8	2811	241.3	258.9	114	42.8	-10.6	0.6	-9.4	-10.7	-1.3	18.7	18.1	5.0	105' 2"L	111' 3"L	43R
2	102.9	1.45	149.1	13.2	---	227.8	247.0	88	37.5	-6.7	1.2	-6.8	-6.7	0.1	16.2	15.1	33.8	107' 3"R	132' 7"R	145R
3	105.5	1.34	141.6	15.6	4293	213.7	227.7	102	42.6	-6.9	0.6	-5.8	-7.1	-1.3	18.6	18.0	30.8	98' 8"R	115' 2"R	192R
Average	104.0	1.39	144.5	15.2	3552	227.6	244.6	101	41.0	-8.1	0.8	-7.3	-8.2	-0.8	17.9	17.1	23.2	33' 7"R	45' 6"R	127R
Consistency	1.1	0.04	3.3	1.5	741	11.3	12.9	11	2.5	1.8	0.3	1.5	1.8	0.7	1.2	1.4	12.9	98' 2"R	111' 0"R	62R

Note: Data are normalized to no wind conditions at 888 ft altitude, 77 F with a Premium ball.

Shot Details

Robert Vadenbossche | Mar 30, 2023

07

Titleist, TSR2, 9*, a-2, tensei av x link 65 x

STROKE NO	CLUB SPEED mph	SMASH FAC.	BALL SPEED mph	LAUNCH ANG. deg	SPIN RATE rpm	CARRY yds	TOTAL yds	HEIGHT ft	LAND. ANG. deg	LAUNCH DIR. deg	ATTACK ANG. deg	CLUB PATH deg	FACE ANG. deg	FACE TO PATH deg	DYN. LOFT deg	SPIN LOFT deg	SPIN AXIS deg	SIDE	SIDE TOT.	CURVE ft
1	103.0	1.45	149.2	17.1	2732	225.9	249.7	88	35.4	0.0	1.2	-6.0	0.7	6.7	18.9	18.8	48.9	203' 4"R	250' 6"R	245R
2	105.4	1.41	148.9	13.3	5076	222.9	233.1	114	46.5	-1.0	-1.3	-7.3	0.4	7.7	16.5	19.5	21.8	135' 2"R	146' 7"R	174R
3	104.7	1.38	145.0	20.6	3291	236.8	248.7	144	48.8	-8.7	3.2	-4.2	-9.3	-5.1	22.8	20.2	-22.6	244' 6"L	261' 5"L	129L
4	103.0	1.46	150.7	11.7	4642	224.7	238.6	94	41.0	-4.0	-0.6	-5.8	-3.5	2.3	14.8	15.7	28.7	134' 0"R	152' 8"R	198R
5	100.9	1.46	146.9	17.6	4059	227.9	239.8	126	46.7	-1.8	2.4	-6.6	-0.8	5.8	20.3	18.7	28.9	162' 6"R	178' 4"R	213R
Average	103.4	1.43	148.1	16.1	3960	227.6	242.0	113	43.7	-3.1	1.0	-6.0	-2.5	3.5	18.6	18.6	21.1	78' 1"R	93' 4"R	140R
Consistency	1.6	0.03	2.0	3.2	857	4.9	6.3	20	4.9	3.1	1.7	1.0	3.7	4.7	2.8	1.5	23.7	163' 3"R	181' 2"R	136R

Note: Data are normalized to no wind conditions at 888 ft altitude, 77 F with a Premium ball.

Shot Details

Robert Vadenbossche | Mar 30, 2023

Callaway, Paradym, x, 9*, s,d, kaili blue 60 x

STROKE NO	CLUB SPEED mph	SMASH FAC.	BALL SPEED mph	LAUNCH ANG. deg	SPIN RATE rpm	CARRY yds	TOTAL yds	HEIGHT ft	LAND. ANG. deg	LAUNCH DIR. deg	ATTACK ANG. deg	CLUB PATH deg	FACE ANG. deg	FACE TO PATH deg	DYN. LOFT deg	SPIN LOFT deg	SPIN AXIS deg	SIDE	SIDE TOT.	CURVE ft
1	105.7	1.49	158.0	7.5	1766	234.7	280.3	43	20.2	-7.7	1.4	-5.2	-8.2	-3.0	8.5	7.6	-3.0	104' 3"L	126' 6"L	21L
2	105.5	1.50	158.5	12.1	2756	269.2	290.8	101	38.6	-2.4	1.2	-4.6	-2.0	2.6	13.8	12.8	4.2	7' 4"L	6' 0"L	37R
3	104.7	1.45	151.7	15.5	2293	258.5	282.3	103	37.7	-1.6	-0.2	-4.6	-1.3	3.3	17.0	17.6	19.7	79' 11"R	96' 1"R	95R
4	102.6	1.47	151.3	11.3	2875	239.9	265.4	75	32.4	-6.5	-1.0	-4.4	-6.8	-2.4	13.2	14.4	25.8	50' 0"R	70' 2"R	160R
5	102.4	1.51	154.6	10.7	2009	251.3	286.1	68	28.4	-3.8	1.0	-4.8	-3.6	1.2	12.0	11.2	-8.4	84' 9"L	101' 5"L	36L
Average	104.2	1.49	154.8	11.4	2340	250.7	281.0	78	31.5	-4.4	0.5	-4.7	-4.4	0.3	12.9	12.7	7.7	13' 3"L	13' 6"L	47R
Consistency	1.4	0.02	3.0	2.6	425	12.5	8.5	22	6.7	2.3	0.9	0.3	2.7	2.5	2.7	3.3	13.1	72' 3"R	89' 0"R	73R

Note: Data are normalized to no wind conditions at 888 ft altitude, 77 F with a Premium ball.

Shot Details

Robert Vadenbossche | Mar 30, 2023

Taylormade, Stealth 2 HD, 9*, uprt, diamana s+ 60 x

STROKE NO	CLUB SPEED	SMASH FAC.	BALL SPEED	LAUNCH ANG.	SPIN RATE	CARRY	TOTAL	HEIGHT	LAND. ANG.	LAUNCH DIR.	ATTACK ANG.	CLUB PATH	FACE ANG.	FACE TO PATH	DYN. LOFT	SPIN LOFT	SPIN AXIS	SIDE	SIDE TOT.	CURVE
	mph		mph	deg	rpm	yds	yds	ft	deg	deg	deg	deg	deg	deg	deg	deg	deg			ft
1	104.7	1.44	151.3	15.7	3259	247.7	263.9	117	43.3	-2.8	-0.2	-8.8	-2.0	6.8	17.7	19.3	23.0	109' 5"R	124' 8"R	164R
2	104.3	1.49	155.3	8.3	2270	242.8	278.8	54	25.1	-7.7	1.2	-6.4	-7.9	-1.5	9.8	8.6	-7.8	129' 11"L	154' 3"L	48L
3	105.3	1.39	145.8	15.9	2393	240.2	265.0	92	35.9	-8.6	1.8	-9.0	-8.6	0.4	17.6	15.8	28.6	23' 9"R	40' 1"R	154R
4	107.1	1.48	158.7	12.3	1474	262.1	300.1	75	28.7	-7.9	2.8	-6.6	-8.0	-1.4	13.2	10.6	-13.5	158' 9"L	188' 11"L	60L
5	105.6	1.48	156.1	8.4	---	250.0	278.2	66	29.8	-10.2	4.8	-4.0	-12.9	-8.9	9.9	10.0	-10.4	186' 2"L	213' 7"L	36L
Average	105.4	1.46	153.4	12.1	2349	248.6	277.2	81	32.6	-7.4	2.1	-7.0	-7.9	-0.9	13.6	12.9	4.0	68' 4"L	78' 5"L	35R
Consistency	1.0	0.04	4.5	3.3	633	7.6	13.0	22	6.4	2.5	1.7	1.8	3.5	5.0	3.5	4.0	18.0	114' 10"R	135' 3"R	102R

Note: Data are normalized to no wind conditions at 888 ft altitude, 77 F with a Premium ball.

Shot Details

Robert Vadenbossche | Mar 30, 2023

Ping G430 Max, 9*, +1, draw weight, rdx red 60 6.5

STROKE NO	CLUB SPEED	SMASH FAC.	BALL SPEED	LAUNCH ANG.	SPIN RATE	CARRY	TOTAL	HEIGHT	LAND. ANG.	LAUNCH DIR.	ATTACK ANG.	CLUB PATH	FACE ANG.	FACE TO PATH	DYN. LOFT	SPIN LOFT	SPIN AXIS	SIDE	SIDE TOT.	CURVE
	mph		mph	deg	rpm	yds	yds	ft	deg	deg	deg	deg	deg	deg	deg	deg	deg			ft
1	101.7	1.45	147.8	13.1	2307	231.0	262.6	70	29.7	-8.4	0.8	-6.2	-8.7	-2.5	14.6	14.0	32.4	25' 8"R	48' 4"R	122R
2	104.1	1.44	149.4	13.2	3117	244.2	264.0	97	39.0	-8.1	-0.6	-9.0	-7.9	1.1	15.3	16.0	19.2	8' 7"R	17' 8"R	107R
3	102.8	1.44	147.9	14.9	1882	251.7	280.6	90	34.3	0.9	1.4	-6.4	1.6	8.0	16.0	16.6	7.9	46' 3"R	55' 2"R	40R
Average	102.9	1.44	148.4	13.7	2435	242.3	269.1	85	34.3	-5.2	0.5	-7.2	-5.0	2.2	15.3	15.5	19.8	26' 10"R	40' 5"R	90R
Consistency	1.0	0.01	0.8	0.8	512	8.6	8.2	11	3.8	4.3	0.8	1.3	4.7	4.4	0.6	1.1	10.0	15' 5"R	16' 4"R	35R

Note: Data are normalized to no wind conditions at 888 ft altitude, 77 F with a Premium ball.

Shot Details

current

STROKE NO	CLUB SPEED mph	SMASH FAC.	BALL SPEED mph	LAUNCH ANG. deg	SPIN RATE rpm	CARRY yds	TOTAL yds	HEIGHT ft	LAND. ANG. deg	LAUNCH DIR. deg	ATTACK ANG. deg	CLUB PATH deg	FACE ANG. deg	FACE TO PATH deg	DYN. LOFT deg	SPIN LOFT deg	SPIN AXIS deg	SIDE	SIDE TOT.	CURVE ft
1	104.2	1.48	153.7	13.0	4119	236.8	251.6	105	42.2	-5.6	1.6	-10.4	-4.5	5.9	15.5	15.1	28.3	116' 2"R	134' 0"R	226R
2	102.5	1.42	145.8	14.2	2189	245.3	272.4	86	34.4	-8.5	1.2	-8.8	-8.5	0.3	15.7	14.4	9.0	68' 4"L	71' 6"L	51R
3	102.1	1.40	142.6	17.3	3227	236.1	250.3	124	46.0	-7.3	1.6	-9.8	-6.9	2.9	19.6	18.1	7.7	43' 7"L	44' 2"L	56R
4	102.6	1.45	149.2	15.4	---	229.3	237.7	136	50.6	-7.2	3.8	-8.6	-6.9	1.7	18.3	14.6	10.6	11' 3"L	9' 11"L	29R
5	103.0	1.39	142.9	14.9	2637	240.6	262.2	97	38.5	-7.0	0.6	-11.6	-6.4	5.2	16.7	16.8	4.5	64' 9"L	68' 9"L	37R
6	103.4	1.45	149.7	13.9	3051	244.5	264.5	98	38.9	-6.6	-0.2	-10.2	-6.1	4.1	15.9	16.7	22.9	47' 4"R	61' 6"R	146R
Average	103.0	1.43	147.3	14.8	3044	238.8	256.5	108	41.8	-7.0	1.4	-9.9	-6.5	3.4	16.9	16.0	13.8	4' 1"L	2"R	91R
Consistency	0.7	0.03	4.0	1.4	646	5.5	11.3	17	5.3	0.9	1.2	1.0	1.2	1.9	1.5	1.4	8.7	66' 6"R	74' 10"R	72R

Note: Data are normalized to no wind conditions at 888 ft altitude, 77 F with a Premium ball.